
Island Style

Active and Relax solutions

BAVARIA 38 CRUISER



BAVARIA 38 CRUISER

More than a foot longer and half a foot wider than its predecessor, the 37 Cruiser, the 38 is engineered to handle the most rugged boating conditions without sacrificing the creature comforts synonymous with the Bavaria name.

For a mid-size Bavaria, the new 38 Cruiser offers features hard to find on boats twice its size. An electric swim platform, double-spreader Selden mast and large seat lockers in the cockpit aid in comfort and sailability above deck, while the spacious floorplan, large cabins and functional galley satisfy all your needs below.



• The redesigned 38 Cruiser's powerful hull design, Kevlar-reinforced bow sections and hand-laid fiberglass hull assures smooth and secure sailing, even on choppy water.



• The Cruiser series' chart table has a large compartment for nautical charts and navigation instruments, with additional stowage beneath the seat.



 In addition to easy-clean surfaces, the large head includes a separate shower area with sump pump, hanging locker for wet clothes and a teak grate floor.



• A microwave oven, icebox with 12V refrigeration unit and gimbaled twoburner propane stove with oven come standard in the highly functional galley, easily accessible to the main salon's generous seating area.



• Natural light pours in below deck through the 38 Cruiser's 12 opening hatches and ports, two fixed hull ports and two skylights in the main salon.





• In both the two- and three- cabin models, all cabins feature large double berths and increased storage space in both the enclosed shelving and hanging lockers.



BAVARIA 38 CRUISER

38 CRUISER STANDARD FITTINGS AND EQUIPMENT

Hull & Deck

Hand-laid fiberglass, solid below the waterline Kevlar reinforced bow sections Side deck and coach roof with non-skid Teak cockpit seats and sole Stainless steel bow pulpit Stainless steel double pushpit **Double lifelines** Rail opening port and starboard Stainless steel bow fitting with anchor roller and chafe guard Four aluminum mooring cleats Two aluminum spring line cleats Two self-tailing halyard winches Two self-tailing genoa winches, two speed Two self-tailing secondary winches Winch handles Sheets and halyards led to the cockpit Line clutches Self-draining anchor locker Two large seat lockers in cockpit Self-draining propane locker Cockpit shower (hot and cold) Stainless steel boarding ladder Two Deck ventilators Electric bilge pump Manual bilge pump Cockpit table with storage Companionway coaming with integrated dodger stowage Electronically operated swim platform access Two wing doors in companionway Teak decks optional

Sails & Rigging Double spreader Selden mast Headsail designed for furling system Choice of conventional, furling or fully battened mainsail Furlex furling system for headsail Selden adjustable pneumatic boom vang

Ballast Modern profile cast iron keel

Rudder

Steering pedestal with single lever engine controls Streamlined balanced rudder Rudder stock with self-adjusting bearings Emergency tiller Steering wheel with leather cover

Instruments Raymarine ST 60 PlusTridata (log, speedometer and depth) Raymarine ST 60 Wind Gauge Pedestal mounted compass Electrical System 12V panel with circuit breakers & outlet 110V shore supply 110V outlets Voltmeter Ampmeter Navigation lights Deck light 1 x 55-Ah engine battery 1 x 140-Ah house battery 45 Ah battery charger

Interior

Varnished light mahogany interior Two or three cabins with double berths Storage drawers under forward berth Salon with settee and large mahogany table Stowage space and lockers Chart table with large compartment for nautical charts and navigation instruments Chart table seat with stowage Bookshelf Gimbaled two burner propane stove with oven Microwave Icebox with 12V refrigeration unit Stainless steel sink Galley stowage Waste container with lid Three fire extinguishers Head with easy-care surfaces Shower with sump pump Manual toilet Holding tank with deck pump-out and overboard discharge Six opening hatches with roller blinds Six opening ports with curtains Two non-opening skylights in main salon Two non-opening hull ports

Fresh Water Supply Two water tanks (approx. 95 gal) Water level indicator Electric pressure water pump with pump filter Pressure hot water system

Engine Volvo Penta D2-40, 40 hp with sail drive Sound-insulated engine compartment Fresh water cooling Operating hours meter Tachometer Diesel tank (appx. 40 gal). Fuel level indicator Fuel filter Sea water filter

Due to continued efforts to upgrade product, equipment, specifications and prices are subject to change without notice at any time.

Island Style

Active and Relax solutions