


BAVARIA 33 CRUISER

*I*F IT LOOKS AND FEELS LIKE A 35 TO YOU,
WHO ARE WE TO ARGUE?




BAVARIA YACHTS

BAVARIA 33 CRUISER

As a replacement for the extremely popular Bavaria 32, the 33 Cruiser, while being a departure in many areas, still retains that real "yacht" feel that was a major component of the success of the 32.

At 34'3" overall, the 33 Cruiser boasts almost 150 sq. ft. more sail area. Set on over four feet more mast height, the enhanced performance potential sets it even further apart from the competition.

A fuller hull shape allows for increased interior volume, while two fixed hull ports and two skylights aft of the mast accentuate the lighter mahogany interior wood finish. Multiple opening ports and hatches supply ample cross ventilation.



- Salon with settee and large mahogany table



- Two cabins with double berths and enclosed lockers



- L-shaped galley with ample stowage for dishes and provisions



- Steering pedestal with single lever engine controls



- Easily handled sail plan for more enjoyable sailing




- Swim platform featuring telescoping stainless steel boarding ladder, hot and cold shower and walk through transom




BAVARIA YACHTS

BAVARIA 33 CRUISER



| | |
|-----------------------------|---------------------|
| Length overall | 34'3" |
| Length hull | 33'8" |
| Length waterline | 29'6" |
| Beam | 11'5" |
| Draft standard | 4'11" |
| Draft (deep option) | 6'5" |
| Displacement | 11,880 lbs. (appx.) |
| Ballast | 3,190 lbs. (appx.) |
| Sail area | 690 sq. ft. (appx.) |
| Water tank | 55 gal. (appx.) |
| Fuel tank | 40 gal. (appx.) |
| Ht. of mast above waterline | 48'8" |



BAVARIA 33 CRUISER

33 CRUISER

STANDARD FITTINGS AND EQUIPMENT

Hull & Deck

Hand-laid fiberglass, solid below the waterline
Kevlar reinforced bow sections
Side deck and coach roof with non-skid
Stainless steel bow pulpit
Stainless steel double pushpit
Double lifelines
Stainless steel bow fitting with anchor roller and chafe guard
Four aluminum mooring cleats
Two aluminum spring line cleats
Two self-tailing halyard winches
Two self-tailing genoa winches, two speed
Winch handle
Sheets and halyards led to cockpit
Spinlock line clutches
Self-draining anchor locker
Large seat locker in cockpit
Self-draining gas cylinder locker
Cockpit shower (hot and cold)
Stainless steel boarding ladder - telescoping
Deck vent
Electric bilge pump
Manual bilge pump
Cockpit table with storage
Rail opening port and starboard
Teak decks and cockpit sole optional

Sails & Rigging

Double spreader Selden mast
Headsail designed for furling system
Choice of conventional, furling or fully battened main-sail
Furlex furling system for headsail
Selden adjustable boom vang

Ballast

Modern profile cast iron keel

Rudder

Steering pedestal with single lever engine controls
Streamlined balanced rudder
Rudder stock with self-adjusting bearings
Emergency tiller
Steering wheel with leather cover

Electrical System

12 V panel with circuit breakers
110 V shore supply
110 V outlets
Voltmeter
Antenna and cable for VHF
Navigation lights

Deck light

Batteries: 1 x 55 Ah engine
1 x 140 Ah house
24 Ah battery charger

Interior

Varnished light mahogany interior
Two cabins with double berths
Salon with settee and large mahogany table
Stowage space and lockers
Chart table with large compartment for charts and instruments
Chart table seat with stowage
Bookshelf
Gimballed two burner propane stove with oven
Icebox with 12 V refrigeration unit
Stainless steel sink
Galley stowage for dishes and pots
Waste container with lid
Three fire extinguishers
Marine head with easy-care surfaces
Shower with sump pump
Manual toilet
Holding tank with deck pump-out and overboard discharge
Two opening hatches with roller blinds
Six opening ports with curtains
Two non-opening hull ports
Two non-opening skylights in main salon

Fresh Water Supply

Water tank (appx. 55 gal.)
Water level indicator
Electric pressure water pump with filter
Pressure hot water system

Instruments

Raymarine ST 60 Wind
Raymarine ST 60 Tridata (log, speedometer and depth)
Pedestal mounted compass

Engine

Volvo Penta D1-30, 28 hp with sail drive
Fresh water cooling
Operating hours meter
Tachometer
Fuel level indicator
Fuel filter
Seawater filter
Fuel tank (appx. 40 gal.)

Due to continued efforts to upgrade product, equipment, specifications and prices are subject to change without notice at any time.